

Mark GALLOWAY 125 SHOOTOUT

June 27th, 2020



Super Late Models • Mini Stocks • Legends • Pro 4 Trucks



MONROE
GROCERY
OUTLET
Bargain Market

EVERGREEN
SPEEDWAY

NASCAR
HOME
TRACKS



Evergreen Speedway 14405 179th Ave SE, Monroe, WA. 98272
 (360) 805-6100 • Fax (360) 805-6110 • www.EvergreenSpeedway.com

Driver's Name: _____ Car #: _____

Driver's Email: _____

Address: _____ City: _____

State: _____ Zip: _____ Phone: () _____ Alt Phone: () _____

Make check payable to: _____ W-9 or Tax ID Must be On File

\$150 Entry through June 22nd, 2020 (\$200 June 23rd) \$ _____

Registration includes temporary NASCAR SLM Driver's License if required

Pit Passes

Member/Non-Member

Saturday \$35.00/50.00 x _____ \$ _____

Friday \$35.00 x _____ \$ _____

Transponders are required and available for rental. \$20.00 \$ _____

Total \$ _____

VISA/MC/Discover: _____ 3 Digit Code: _____

Expiration Date: _____ Signature: _____

Names for Prepaid Pit Pass	
1.	_____
2.	_____
3.	_____
4.	_____
5.	_____
6.	_____
Number of tires: _____	

Security will be on site Friday night.

Tech Declarations:

Engine Package: _____ Crew Chief: _____

Chassis Manufacturer: _____

Payout: 1st \$6,000 2nd \$3,000 3rd \$1,500 4th \$1200 5th \$1000 6th- 9th \$700 10th – Back \$600

ENTRY AND ADVERTISING RELEASE: The undersigned understands and agrees that their name and likeness may be used by Evergreen Speedway, NASCAR and authorized agents in any way, medium, or material to promote, advertise, record, or report this event before, during, and after the event, and do hereby relinquish all rights hereto for these purposes. The undersigned understands and agrees that all decisions made by Evergreen Speedway Officials will be final and without recourse. In the event that this application is terminated, it shall be without restitution of any part of the fee paid with this entry and further, waives any and all rights or claims to any bonus money due prior to termination. The undersigned further waives any and all rights for themselves, their agents and assigns, to institute any action, suits or proceedings, whether at law, or any other action against Evergreen Speedway and its officers, directors, agents and employees for any and all manner or actions, cause and causes of actions, suits, damages, and claims that the undersigned and their heirs, successors, assignees may have now, or at any time in the future may have, arising in any manner from Evergreen Speedway promoted events, excepting Evergreen Speedway's obligation to pay purses, bonuses, and awards as set forth in the Official entry form for Evergreen Speedway promoted events. The undersigned understands and agrees that this constitutes a waiver of any and all claims for personal injury, breach of contract, and any other loss or damage except as expressly provided herein.



Announcer Card

Car #: _____

Driver: _____ Hometown: _____

Engine: _____ Chassis: _____

Profession: _____ Crew Chief: _____

Title Sponsors:

1. _____

2. _____

Associate Sponsors:

1. _____

2. _____

3. _____

4. _____

Racing Accomplishments:

1. _____

2. _____

3. _____

4. _____



(Subject to change)

Schedule

Friday, June 26th Practice for SLM, Mini Stock, Pro 4 Trucks and Legend. Overnight Security Provided.

2:00 pm	Registration Open
3:00 pm	Back Gate Opens
3:30 pm	Late Model Tech Inspection Opens (Voluntary)
5:00 pm	Late Model Practice. Back Gate closes for 5/8 practice
6:00 pm	Pro 4 Truck Practice (3/8). Back Gate Opens.
6:30 pm	Mini Stock Practice (3/8)
6:30 pm	Late Model qualifying order pill draw at Tech Trailer
7:00 pm	Legend Practice (3/8)
7:30 pm	Late Model Practice. Back Gate closes for 5/8 practice.
8:15 pm	Pro 4 Truck (3/8) Back Gate Opens
8:30 pm	Mini Stock (3/8)
8:45 pm	Legend (3/8)

Saturday, June 27th

9:00 am	Registration open.	
10:00 am	Back gate opens.	
11:00 am	Late Model Tech Inspection Opens (cars must be in full compliance by 2:00 practice session)	
11:15 am	Late Model Drivers & Spotters Meeting.	
11:55 am	Back Gate closes for 5/8 practice	
Noon	Late Model Practice	
12:45 pm	Pro 4 Truck. Back Gate Opens	
1:00 pm	Mini Stock	
1:00 pm	SLM race tires released.	
1:15 pm	Legend	
1:30 pm	Late Model. Back Gate Closes for 5/8 Practice	
2:00 pm	Pro 4 Truck	
2:15 pm	Mini Stock	
2:30 pm	Legend	
	Late Model Qualifying Tech Opens	
2:40 pm	Track Cold. Back Gate Opens	
3:10 pm	Qualifying	
	Pro 4 Truck	
	Legend	2 Laps
	Super Late Models	2 Laps
4:15 pm	Heat Races- Pro 4 Truck, Mini, Legend	8 Laps
5:15 pm	Main Events – Pro 4 Truck, Mini, Legend	30 Laps each
	Late Model Tech Opens	
7:00 pm	Opening Ceremonies- Fan Fest on the front straight	
7:45 pm	The Mark Galloway Shootout	125 Laps

TENTATIVE SCHEDULE – ABOVE EVENTS SUBJECT TO CHANGE



2020 Mark Galloway Shootout Rules

1. **Bodies:**
 - a. The ABC Official Rule Book Version 9.0 and the 2020 Evergreen Speedway NASCAR Super Late Model Rules will govern body specifications. In the event of a conflict between the two rule books, The Evergreen Speedway SLM rules will be used.
 - b. Teams must leave the front fenders for use by series sponsors decal stickers. When supplied, teams are required to use NASCAR decal packs in their designated and mandated position. Decals must be run to enter the track. **NO STICKERS, NO PRACTICE.**
 - c. Maximum quarter panel heights will be enforced using current ABC guidelines.
 - d. No flaring, shaping or contour modifications of body, nose or skirting allowed. No belly pans or streamlining. No down force bodies.
 - e. The ABC "A" measurement shall be 11½" minimum. Minimum length allowed for the nose, measured from the bottom, leading edge at center up to the hood seam is 20". Maximum flare at wheel opening in front of front wheels (Q) is 81" and opening must be cut 90° to the ground.
 - f. Roof rails are permitted with a maximum height of 1". Maximum of 2. No other vertical rails allowed. No rear window rails.
2. The 2019 Five Star New Late Model Body is Approved.
 - a. Body must use only Five Star components designed for this body.
 - b. Body must be mounted per Five Star Specifications.
 - c. All three nose variations are approved (Ford, Chevrolet, & Toyota).
 - d. These bodies must be mounted and maintained to all template tolerances and given measurements advertised by Five Star. (This will be enforced)
 - e. No roof rails or other vertical rails will be allowed.
3. Any currently approved NASCAR or ABC approved ARbodies variations will be allowed.
 - a. Must be mounted and maintained in accordance with the most current printed regulations.
 - b. Must use only ARbodies components designed for the specific body used.
 - c. No roof rails or other vertical rails allowed.
4. **Weights and Engines:** All weights and percentages listed include driver, a race ready and fueled car.
 - a. 2650 **GM604 crate engine:**
 - i. 59% Left side maximum at all times
 - ii. Factory GM or Cope seal only. **2021 will be factory sealed only.**
 - iii. 80541-1 or -2 650 cfm gauge legal carb. 1" max carb spacer allowed
 - iv. GM part number 12551537 harmonic balancer is allowed.
 - v. 6400 RPM chip maximum
 - b. 2675 **Factory sealed Ford M-6007-D347SR (SR7 is not approved):** No Modifications allowed.
 - i. 59% Left side maximum at all times
 - ii. 80541-1 or -2 cfm gauge legal carb. 1" max carb spacer allowed
 - iii. 6400 RPM chip maximum.
 - c. 2775 **GM CT525 Crate Engine**
 - i. 58% Left side maximum at all times

- ii. Factory sealed part number 19171821 only.
 - iii. Any Holley carb is permitted with a maximum base plate hole diameter of 1 11/16".
 - iv. GM part number 19171130 or MSD 6012CT Ignition controller.
 - v. 7200 RPM max.
 - vi. Electric fuel pump allowed. Must be wired with a low oil pressure shutdown switch
- d. 2850
- i. **Compression Engines:** 58% Left side maximum at all times
 - 1. **Brodix Spec Head:**
 - a. Only Brodix SP-CH/FO/MO allowed.
 - b. No grinding, blending, or polishing is allowed anywhere. No use of any substance that may change or alter the heads in any way.
 - c. Valve stem minimum diameter 11/32".
 - d. Titanium valves are allowed.
 - e. Maximum 1" port match allowed to manifold
 - f. Any Holley carb is permitted with a maximum base plate hole diameter of 1 11/16".
 - 2. **Cast Iron Head Engine:** 58% Left side maximum at all times
 - a. Approved heads (maximum 200cc Intake Runners)
 - i. GM Bowtie, GM Vortec, Dart Iron Eagle & Platinum 200's, World Products Sportsman II, Ford Motorsports, Mopar W-2
 - ii. No porting, polishing, port matching or acid dipping allowed.
 - iii. Approved valve angles. Chevy 23 degree, Ford 11 degree, Mopar 15 degree.
 - iv. Maximum 1" port match allowed to manifold
 - v. Any Holley carb is permitted with a maximum base plate hole diameter of 1 11/16".
 - 3. **Tour Legal 9:1** 58% Left side maximum at all times
 - a. No aluminum blocks
 - b. Aluminum heads of OEM design only. Only 23 degree heads allowed on GM products. No SB2 or SM splayed or 14 degree Buick heads allowed.
 - c. 9.5:1 maximum compression ratio.
 - d. Holley Tour Legal 390 cfm carb only.
 - 4. **Approved McGunegill, Hamner, Progressive, SSPE or other approved S.E.A.L. Engines**
 - a. Holley 750 CFM part number 4779 or 80528 must be used.
 - i. Unaltered. Gauge Legal.
 - b. **Hamner must run the All-Star Governor restrictor with a maximum insert size of 1.35 inches or have the SEAL approved intake manifold.**
 - c. Ignition System.
 - i. Must run one FAST (Crane Cams) part #6000-6701.
 - ii. Must be mounted on the factory tray and mounted as far right and forward as possible inside the car.
 - iii. All wires must be in plain view and out of reach of driver.
 - iv. All wires to the distributor must be run separately and not part of a bigger loom or harness.
 - v. All wiring must be sealed. No open or unused plugs.
 - vi. RPM dial positioned toward the right side of car.
 - vii. 7600 RPM max (SSPE 8000).

* Other engine combinations must have prior approval.

** Everyone must run the same combination for all events including qualifying (same engine, carb, spacer, restrictors etc.)

1. Chassis and Suspension

- a. 101" minimum wheelbase.
- b. 67" max tread width at spindle height. Zero tolerance. 69" for stock stub.
- c. No carbon fiber. This includes radiator ductwork, brake fans, rotors, drivelines, chassis supports or clutches.
- d. Roll cage must be constructed of 1 3/4" OD steel tubing with a minimum wall thickness of .095.
- e. Steel spindles or approved Coleman spindles only.
- f. One shock per wheel. Shocks must be only mechanical and may not utilize electricity in any way.
- g. One piece trailing arms only. No spring loaded or dampened trailing arms. Truck arms OK.
- h. Rear axles must be steel.
- i. No Birdcage setups of any kind.
- j. Rear sway bars are not allowed
- k. Torque absorber third links are allowed. No Shocks
- l. All added weight must be lead. It must be painted white and clearly marked with the car number. Solid block form only. \$10 per pound penalty for any ballast lost on the racing surface.
- m. No traction control devices of any kind will be permitted, electronic or otherwise. Use of traction control will be cause for immediate disqualification, fine and suspension.
- n. No cockpit driver adjustments other than brake bias.

2. Engine and Transmission

- a. Engine setback. GM 2". Ford and Mopar 4" measured from the forward most spark plug to the center line of the upper ball joints.
- b. Crank height. 10" from center of the crank to the ground for dry sump and 11" for all wet sump systems.
- c. Cast Iron blocks only. 360 Max cubic inch for GM and Ford. 365 Max cubic inch for Mopar. Except specific engines addressed under "weights and engines"
- d. Full standard type transmission only. A minimum of 1 reverse and 2 forward gears are required. Quick change or automatics are not allowed.
- e. 5 1/2" minimum clutch required. Multiple disc clutches allowed. Only magnetic steel discs and pressure plates are allowed. Clutch cover may be aluminum or steel.

3. REAR END

- a. Ford 9" floater or quick-change rear end required. Steel or aluminum axle tubes are allowed.
- b. Axles must be steel.

4. EXHAUST

- a. **Strictly enforced 90 DB maximum at 50 feet.**
 - i. **Muffler is mandatory**
 - ii. **We highly recommend no door outlet exhaust. Under car exhaust outlet is recommended.**
 - iii. **Cars not in compliance will not be allowed to practice or compete**

5. Tires and Wheels

- a. Approved tires for the 2020 Mark Galloway Shootout are the Hoosier 3035 left and the 3045 Right.
- b. Qualifying and race tires must be purchased at Evergreen Speedway from Hoosier West.
- c. 4 new must be checked in and left in the impound area. See schedule for release times.
- d. Qualifying tires must be used to start all heat races and the Main Event.
- e. All tire changes must be due from a flat or tire losing air. Replacement tire must be approved by Evergreen Speedway Officials.
- f. No tire softening, tire shine or any altering.
- g. No race tires are to leave the facility at any time.
- h. Tires must be available for inspection at all times.
- i. No brake ducting blowing on beads or tread face.
- j. 10" maximum steel racing only.

Tech Procedures

1. **Pre-Tech**
 - a. Technical inspection is open on Friday and is recommended.
 - b. Cars must be in full tech compliance by the 2:00 pm practice on Saturday. Cars not in compliance will not be allowed to participate in this practice and will be given until their spot in qualifying tech to correct known issues.

2. **Qualifying Tech**
 - a. All cars must go through Qualifying Tech in order of their qualifying pill draw.
 - b. Once Qualifying Tech officially opens, all cars are required to be on the ground ready to roll to tech line. Remain in your pit, until an official directs you into tech line.
 - c. Once cars enter the tech station, cars may not be lifted, tugged, or adjusted in any manner unless instructed to do so by an official.
 - d. Cars may not exceed 28lbs of air in right side and 22lbs in left side tires for tech inspection.
 - e. Air pressure and tape are the only changes that can be made to the car after Qualifying Tech.

3. **Post-Race Tech**
 - a. Top three finishers must stop on the front stretch for trophy presentation. One crew member is allowed to take tire temps and/or tire pressures. No jacking. No other crew allowed.
 - b. 4th and 5th place finishers are to report directly to the tech inspection area and wait for direction from an Official. One crew member is allowed to take tire temps and/or tire pressures. No jacking. No other crew allowed.
 - c. Teams must comply with all requests of Tech made by an Evergreen Speedway Official. Refusal to comply will result in immediate disqualification and forfeiture of any monies won.
 - d. A maximum of three crew members will be allowed in the tech area unless approved by the Lead Technical Inspector.

Please direct any questions to kevin@evergreenspeedway.com

Race Procedures

1. All driver's meetings are mandatory. Driver and spotter must attend. Failure to attend will result in penalty. Spotters are required and must check in. If your spotter does not check in with the official before any race, start at the back. **You must scan Race Control @ 452.1500** Guaranteed car numbers and pit stalls will be determined by order of entries received. Duplicate car numbers must have a letter. Three-digit numbers allowed.
2. Time Trials
 - a. Qualifying order determined by pill draw Saturday morning at the driver's meeting. Late arrivals qualify first
 - b. Two consecutive timed laps
 - c. Once you have taken the white flag, you have an official time. No re-qualifying
3. Line Up Procedure
 - a. Invert will be drawn by the fast qualifier immediately following qualifying.
4. **START:** All starts will take place at the designated line. The p1 car will gradually increase speed after passing the initial line bringing the field with them. The field is expected to be side by side and at race speed by the time the green flag is thrown at the white line in turn 4. Failure to start the race as intended can result in penalties to one or both of the front row cars.
5. On the original start drivers may not pass until they cross the start/finish line. Stay in line. Attempting to pass to the left before the start finish line may result in a stop and go penalty. An attempt will be when the front bumper cover of the rear car aligns inside the rear bumper cover of the car in front.
6. If the Yellow or Red is displayed before the leader has completed one lap, there will be a complete restart. All cars retain their position unless they require assistance or go to the pit. As soon as the leader completes one lap, there will not be a complete restart.
7. **YELLOW FLAG:** Do not race to the Yellow. Hold your position. The pace car will pick you up out of turn 4. On a re-start, no passing until the green flag is thrown. Attempting to pass to the left before the start finish line will be a stop and go penalty. **Remain single file until directed by the officials. Only the first (2) caution laps will be scored.**
8. If you stop on or near the racing surface to deliberately draw a yellow, two lap stop and go penalty.
9. **RESTARTS:** At about 2 to go, lapped cars will move to the rear of the lead lap cars.
 - a. The first car lap or laps down when the caution fell will get a 'free pass' around the pace car and get a lap back
 - b. A full green flag lap must be completed for a Free Pass
 - c. No free pass in the last 10 laps of the race or if the designated car is involved in the caution
 - d. First place can go to the inside or outside. Grid up behind.
 - e. All starts will take place at the designated line. The p1 car will gradually increase speed after passing the initial line bringing the field with them. The field is expected to be side by side and at race speed by the time the green flag is thrown at the white line in turn 4. Failure to start the race as intended can result in penalties to one or both of the front row cars.
10. **RED FLAG:** Stop behind the pace car. Pits are closed. Pits will open when the track goes yellow again. Yellow flag laps after a red do not count. A push start when the track returns to yellow after a red flag for a car not involved in the cause of the yellow does not count as assistance. Any car joining the field after the one to go signal has been given must restart at the rear. No Crew members allowed on the track. No working on the car on the track. Driver must stay in the car.
11. **BLACK FLAG:** Come to the pits to consult with the Pit Steward. Failure to pull off the racing surface after being shown a black flag may result in disqualification and loss of purse money.
12. If you cause a third unassisted yellow flags or are too far off the pace in the opinion of the officials, you will be black flagged and removed from the race.
13. **We will take a break at lap 75. If the track is yellow after lap 70, we will bring you in as soon as the field is organized and under control. You'll have 5 minutes once the air horn is sounded. The pace car will be parked in turn 1. Fuel and adjustments allowed. No tires allowed at the break. Tires may be rotated as long as the same 4 tires remain on the car. After 5 minutes the pace car will pull out for 4 pace laps. After two to go has been given, you'll have to line up at the back.**
14. **After lap 120, we must have 5 green flag laps. They do not have to be consecutive. Once the white flag has been displayed to the leader, the next flag will be the checkered. If there is a problem, the yellow will come out with the green and it's race to the finish. If the track is blocked after the leader has taken the white flag, the red will come out. There will be one attempt at a Green/White/Checkered. Any subsequent restarts will be with a green and white together then the checkered. All additional laps will be counted and scored.**